

Byggvarubedömningen's guidelines and information requirements for assessment of products, Version 2021-1.

These guidelines describe what information Byggvarubedömningen requires for assessment of articles and chemical products. Information about the article or chemical product can be provided in this document, alternatively refer to another documentation in which the corresponding information is given. For certain types of articles and chemical products additional information may be requested.

1. Product information

Product

Product name:	TS 73EMF	
Article No.: Specify the type of number, e.g. RSK, E-number, EAN, GTIN or supplier's article number. This should also be stated on the application.	53010101 53040101 53070101	
Product description: Upon application, please attach a products data sheet, or similar.	Door hardware	
Type of product:	☐ Chemical product	⊠ Article
Date (year, month, day) of preparation/revision:	2023-06-01	

Supplier/Manufacturer

Supplier:	dormakaba Deutschland GmbH
Manufacturer, if other than the supplier: <i>Voluntary information</i>	
Contact person:	
Address:	DORMA Platz 1 58256 Ennepetal
E-mail:	www.dormakaba.com
Phone number:	



Supporting documentation

Regulation (EU) no 305/2011,

11 0		
Has a declaration of performance	☐ Yes	⊠ No
in line with the European		
Construction Products		

been prepared for the product?

If yes, attach the declaration of performance with the application.

Is the article/product an □ Yes

Is the article/product an
electronic product and covered
by the RoHS-directive (according
to the version valid at the time of
application)?

If yes, attach an "EU Declaration of Conformity", or alternatively another certificate that attests that the product corresponds to the requirements according to the latest version of the RoHS-directive, together with the application.

If the article/product is an
electronic product that is
covered by an exemption
according to the RoHS-directive,
specify which exemption and
date (year, month, day) when the
exemption expires if time-limited

Exemptions accord	ding to	RoHS
-------------------	---------	------

⊠ No

Date:

2. Declaration of contents:

Please specify the full content of the article or the chemical product, *on delivery*, in Table 1, or alternatively attach other documentation that provides the corresponding information. For instructions, please refer to the "Annex 1. Declaration of content,

Byggvarubedömningen's reporting requirements, 2021-1", which is found at the end of this document.

Table 1. Contents of included substances and material (declaration of content in accordance with the requirements).

Included substances and materials	EC-/ CAS- number (alternatively, alloy number)	Weight% (of the entire product)	When applicable, state for which subcomponent	Weight% (of substance in subcomponent)	Comments (state any application of non- harmonized classifications)
Steel / 11SMnPb30 Steel / 16MnCr5	1.0718	10,15% (259,72g)	C; Si; Mn; S; P; Cr; Pb	0,08%; 0,05%; 1,1%; 0,07%; 0,3%; 0,25% 0,25%	Not Relevant



Care						
Steel C22			(292,73g)	Si;	max. 0,4%	Relevant
Steel / C22				Mn;	1-1,3%	
Steel / C22				P;	max. 0,035%	
Steel / C22						
Steel / C22						
Steel / 100Cr6	Steel / C22	1.0402	10.040/			Nat
No.	Steel / C22	1.0402				
Steel 1.00Cr6			(507,67g)			Relevant
Steel 100Cr6						
Steel 1.00Cr6						
Steel / 100Cr6				S	0,045%	
Steel / 100Cr6				Cr	0,4%	
Steel / 100Cr6				Mo	0.4%	
Steel 100Cr6				Ni		
Aluminum EN AW-2007 Spring steel FDSiCr FDSiCr Si	Steel / 100Cr6	1 3505	1 83%		- '	Not
Spring steel / FDSiCr	310017 100010	1.5505		-		
Spring steel FDSiCr			(40,026)		1	Relevant
Spring steel FDSiCr					1	
Spring steel FDSiCr						
Aluminium EN AC-46200 Caption				-	•	
P 0,03% 0,025%	Spring steel / FDSiCr		9,16%	Si	1,6%	Not
Aluminium EN AC-46200			(234,39g)	Mn	0,9%	Relevant
Cu				P	0,03%	
Cu				S	1	
Aluminium EN AC-46200 24,86% Si 9,5% Not Relevant 0,55% Not 0,55% Not Not 0,55% Not No						
Aluminium EN AC-46200					•	
Cu 3,5% Relevant	Aluminium EN AC 46300		24.969/			Not
Cu 3,5% Not	Aluminium EN AC-46200				1 1	
Mn			(636,13g)		1 1	Kelevant
Screw Steel (8.8 / 10.9)						
Screw Steel (8.8 / 10.9)				Mn		
Screw Steel (8.8 / 10.9)				Mg	0,55%	
Screw Steel (8.8 / 10.9)				Zn	1,2%	
Screw Steel (8.8 / 10.9)				Ti		
Address	Screw Steel (8 8 / 10 9)	1 7225	1.06%		<u> </u>	Not
Si		1.7223				
Rubber 9005-98-5 0,16% 1,2% 5 0,033% P 0,025%	/42011004		(27,12g)			Relevant
Rubber 9005-98-5 0,16% NBR NOT Relevant				-		
Rubber 9005-98-5 0,16%					1	
Rubber 9005-98-5 0,16% (4,094g) NBR (4,094g) NOT Relevant				Cr	1,2%	
Rubber 9005-98-5 0,16% (4,094g) NBR Not Relevant				S	0,035%	
Plastic ABS 3,17%				P	0,025%	
Plastic ABS 3,17%	Rubber	9005-98-5	0.16%	NBR		Not
Plastic						Relevant
Plastic POM O,13% (3,326g) Relevant	Plastic	ARS				
Plastic POM (3,326g)	riastic	ADS				
Aluminum EN AW6060 Aluminum EN AW6060 Aluminum EN AW6060 Aluminum EN AW 5754 Aluminum EN						
Aluminum EN AW6060 3.3206 7,72% (197,54g) Fe 0,3% Cu 0,1% Mn 0,1% Mg 0,6% Cr 2n 0,15% Ti 0,1% Aluminum EN AW 5754 AlMg3 AllMg3 Aluminum EN AW 5754 AlMg3 Aluminum EN AW-2007 Aluminum EN AW-5754 Aluminum EN AW-575	Plastic	POM				
Company Fe			(3,326g)			Relevant
Cu 0,1% Mn 0,1% Mg 0,6% Cr 0,05% Zn 0,15% Ti 0,1% Not Relevant Mn 0,50% Mg 2,6-3,6% Cr 0,30% Zn 0,20% Ti 0,15% Ti 0,15% Ti 0,15% Ti 0,1% Not Relevant Mn 0,50% Mg 2,6-3,6% Cr 0,30% Zn 0,20% Ti 0,15% Ti 0,15% Not Relevant Mn 0,55% Mg 1,8% Relevant Mn 1,8% Cr 0,8% Relevant Mn 1,8% Cr 0,10% Mn 1,8% Cr 0,10% Mn 1,8% Cr 0,10% Mn 1,8% Cr 0,1% Bi 0,2% Zn 0,8% Ti 0,2% Not Mn 1,8% Cr 0,8% Ti 0,2% Not Mn 1,9% Mg 1,8% Cr 0,1% Bi 0,2% Zn 0,8% Ti 0,2% Not Mn 1,01% Cu 57-59% Not	Aluminum EN AW6060	3.3206	7,72%	Si	0,6%	Not
Cu			(197,54g)	Fe	0,3%	Relevant
Min Mg				Cu	0.1%	
Aluminum EN AW 5754 Allmg3 Aluminum EN AW 5754 Allmg3 Aluminum EN AW-2007 Aluminum EN AW-2						
Aluminum EN AW 5754 AlMg3 Aluminum EN AW 5754 Aluminum EN AW 57						
Aluminum EN AW 5754 AlMg3 Alminum EN AW 5754 AlMg3 Alminum EN AW 5754 Aluminum EN AW 5754				_		
Aluminum EN AW 5754 AlMg3 Alminum EN AW 5754 AlMg3 3.3535 3,42% (87,51g) Fe 0,40% Cu 0,10% Mn 0,50% Mg 2,6-3,6% Cr 0,30% Zn 0,20% Ti 0,15% Aluminum EN AW-2007 Aluminum EN AW-2007 3.1645 0,98% (25,076g) Fe 0,8% Cu 4,6% Mn 1% Mg 1,8% Cr 0,1% Mg 1,8%					•	
Aluminum EN AW 5754 AlMg3 Alminum EN AW 5754 Alminum EN AW-2007 Aluminum EN AW-2007						
AlMg3 (87,51g) Fe 0,40% Relevant Cu 0,10% Mn 0,50% Mg 2,6-3,6% Cr 0,30% Ti 0,15% Aluminum EN AW-2007 Aluminum EN AW-2007 Si (25,076g) Fe 0,8% Cu 4,6% Mn 1% Mg 1,8% Cr 0,1% Bi 0,2% Zn Not						
Cu 0,10% Mn 0,50% Mg 2,6-3,6% Cr 0,30% Ti 0,15% Si 0,8% Relevant Cu 4,6% Mn 1% Mg 1,8% Cr 0,1% Mg 1,8% Cr 0,1% Bi 0,2% Zn 0,2% Zn 0,2% Ti 0,15% Si 0,8% Relevant Mn 1% Mg 1,8% Cr 0,1% Bi 0,2% Zn 0,8% Ti 0,2% Si 0,2% Zn 0,8% Ti 0,2% Si 0,2% Zn 0,8% Si 0,2% Zn 0,8% Ti 0,2% Not		3.3535	3,42%	Si	•	
Cu 0,10% Mn 0,50% Mg 2,6-3,6% Cr 0,30% Ti 0,15% Si 0,8% Relevant Cu 4,6% Mn 1% Mg 1,8% Cr 0,1% Mg 1,8% Cr 0,1% Bi 0,2% Zn 0,2% Zn 0,2% Ti 0,15% Si 0,8% Relevant Mn 1% Mg 1,8% Cr 0,1% Bi 0,2% Zn 0,8% Ti 0,2% Si 0,2% Zn 0,8% Ti 0,2% Si 0,2% Zn 0,8% Si 0,2% Zn 0,8% Ti 0,2% Not	AlMg3		(87,51g)	Fe	0,40%	Relevant
Mn 0,50% Mg 2,6-3,6% Cr 0,30% Zn 0,20% Ti 0,15% Aluminum EN AW-2007 3.1645 0,98% Si 0,8% Relevant Cu 4,6% Mn 1% Mg 1,8% Cr 0,1% Bi 0,2% Zn 0,2% Zn 0,2% Zn 0,8% Ti 0,2% Brass CUZn39Pb3 2.0401 1,01% Cu 57-59% Not			0,			
Mg 2,6-3,6% Cr 0,30% Zn 0,20% Ti 0,15% Not Relevant (25,076g) Fe 0,8% Relevant (25,076g) Mn 1% Mg 1,8% Cr 0,1% Bi 0,2% Zn 0,2% Ti 0,2% Brass CUZn39Pb3 2.0401 1,01% Cu 57-59% Not						
Aluminum EN AW-2007 Aluminum EN AW-2007 3.1645 0,98% (25,076g) Fe 0,8% Cu 4,6% Mn 1% Mg 1,8% Cr 0,1% Bi 0,2% Zn 0,8% Ti 0,2% Ti 0,2% Ti 0,2% Brass CUZn39Pb3 2.0401 1,01% Cu 57-59% Not						
Aluminum EN AW-2007 Brass CUZn39Pb3 Aluminum EN AW-2007 Aluminum EN AW-2007 Aluminum EN AW-2007 Aluminum EN AW-2007 Fe 0,8% Cu 4,6% Mn 1% Mg 1,8% Cr 0,1% Bi 0,2% Zn 0,8% Ti 0,2% Not Brass CUZn39Pb3 2.0401 1,01% Cu 57-59% Not						
Aluminum EN AW-2007 Aluminum EN AW-2007 3.1645 0,98% (25,076g) Fe 0,8% Cu 4,6% Mn 1% Mg 1,8% Cr 0,1% Bi 0,2% Zn 0,8% Ti 0,2% Ti 0,2% Brass CUZn39Pb3 2.0401 1,01% Cu 57-59% Not						
Aluminum EN AW-2007 Aluminum EN AW-2007 3.1645 0,98% (25,076g) Fe 0,8% Cu 4,6% Mn 11% Mg 1,8% Cr 0,11% Bi 0,2% Zn 0,8% Ti 0,2% Ti 0,2% Brass CUZn39Pb3 2.0401 1,01% Cu 57-59% Not						
(25,076g) Fe						
(25,076g) Fe	Aluminum EN AW-2007	3.1645		Si	•	
Cu 4,6% Mn 1% Mg 1,8% Cr 0,1% Bi 0,2% Zn 0,8% Ti 0,2% Brass CUZn39Pb3 2.0401 1,01% Cu 57-59% Not			(25,076g)	Fe	0,8%	Relevant
Mn 1% Mg 1,8% Cr 0,1% Bi 0,2% Zn 0,8% Ti 0,2% Ti 0,2% Not				Cu	4,6%	
Mg 1,8% Cr 0,1% Bi 0,2% Zn 0,8% Ti 0,2% Not				Mn		
Cr 0,1% Bi 0,2% Zn 0,8% Ti 0,2% Brass CUZn39Pb3 2.0401 1,01% Cu 57-59% Not						
Brass CUZn39Pb3 2.0401 1,01% Cu 57-59% Not				_	•	
Brass CUZn39Pb3 2.0401 1,01% Cu 57-59% Not						
Brass CUZn39Pb3 2.0401 1,01% Cu 57-59% Not						
Brass CUZn39Pb3 2.0401 1,01% Cu 57-59% Not						
	Brass CUZn39Pb3	2.0401		Cu	57-59%	Not
			(25,84g)	Pb	2,5-3,5%	Relevant



Oil W 851	Oil	3,78% (96,72g)	934-956-3 Hydrocarbons 64742-53-6 Distillates (petroleum), hydrotreated light naphthenic Ester Additives	30% 40% 14% 16% W 851 doe: contain any		Not Relevant	
Paint	SDB102000077246 SDB102000056241	1,29% (33,01g)	H226 H302 H312 H314 H315 H317 H318 H319 H332 H336 H400 H410	Paint does r contain any		Not Relevant	
declaration requirem	If any deviations from Byggvarubedömningens declaration requirements exist, specify these in the comments in Table 1, or alternatively here.						
Is the chemical composition different, for the product when applied (cured product) compared to the content at delivery? (Only for chemical products) □ Yes □ Yes □ Yes							
If <i>yes</i> , specify the con	tent of the cured	d product in	Table 2.				

Table 2. Contents for the applied product (full content in accordance with the declarations requirements)

Included substances and materials	EC-/ CAS- number		Weight% (of the applied product)	Comments (state any application of non-harmonized classifications)
If any deviations from Byggvarubedömninge declaration requirements exist, specify thes comments in Table 1, or alternatively here.		Other	comments:	



Does the product or any of its subcomponents contain substances with particularly hazardous properties (Substances of Very High Concern, SVHC-substances), which are included in the Candidate List at a concentration ≥0.1 weight%?	□ Yes	⊠ No
If yes, specify these substances in Table 1 together	er with the rest of the conf	ent of the product.
State the date (year, month, day) for control of the Candidate List.	Date: 2022-04-08	
The concentration is calculated at component levalways a product".	el established on the prir	iciple "once a product,
The Candidate List is available at: http://echa.eur	opa.eu/sv/candidate-list-ta	<u>able</u> .
Nanomaterials		
Does the product contain any nanomaterial that has been purposefully added to achieve a specific function?	☐ Yes	⊠ No
If <i>yes,</i> specify the material.	Material:	
If <i>yes,</i> specify the weight% of the entire product.	Weight%:	
Per- and polyfluoroalkyl substances (PFAS	·)	
Does the product contain any per- and polyfluoroalkyl substances (PFAS) that has been purposefully added to achieve a specific function?	☐ Yes	⊠ No
If <i>yes</i> , specify the material.	Material:	
If <i>yes</i> , specify the weight% of the entire product.	Weight%:	
3. Recycled raw material		
Does the product contain recycled material?	⊠ Yes	□ No
If <i>yes</i> , specify in Table 3.		

If the product consists of recycled materials specify the material and the percentages of the total weight of the product, in *Table 3*, Recycled materials.



Table 3. Recycle	d material.					
Material	Percentage (%) Recycled material of the total product's weight	Percentage of the recycl material tha reached the level, such a production v (pre-consum	ed It has not consumer S waste, etc.	Percentage (%) of the recycled material that has reached the consumer level (post-consumer)		Comments
If wood raw m	naterial is includ	ed				
Can the product	be ordered with sune wood raw mater	ustainability	□ Yes		□No	
that is certified, (e.g. FSC or PEFC for the certificati	entage of wood raw what system has be c) and give the licen ion. icate together with	een used se number				
sustainable fore production of th indicate how mu	naterial from docum stry been used in the e product? If so, ple uch of the included at comes from doc stry:	ne ease wood raw				
Attach certificate together with the	es from all subcontr e application.	actors				
,	ertificates are miss ountry for wood rav	0				
· ·	cies or origin in the dangered species?	CITES	□ Yes		□No	
(EPD) according	ion phase nental Product Decl to ISO 14025 and E or other product gro	EN 15804	⊠ Yes		□ No	



Has another type of environmental product declaration been prepared?	□ Yes		⊠ No	
If <i>yes</i> , enclose the EPD (Environmental Product D declaration together with the application. EPD-DOR-20190115-IBA1-EN	eclaration) or any	other er	nvironme	ntal product
Has an active choice been made, regarding the electricity supplier, to promote electricity production from renewable energy sources?	⊠ Yes		□No	
If yes, describe the type of energy source, percen source, how long the agreement has been applie which part of the production it is valid for:		_		
5. Distribution of the completed product				
Describe the management of packaging for the distribution of the product:	Description of Packaging mai	nly mad	e by par	
Specify the packaging material used and which system of producer responsibility for packaging the supplier is affiliated to.	20% pre consumer content, 99% post consumer content No return system			
Enter the proportion of recycled material, if any, included in the packaging.				
Other information:				
6. Construction and usage phase				
Are there any special requirements such as storage conditions etc. for the product during storage?	□ Yes		⊠ No	
If <i>yes</i> , describe:				
Are there any special requirements for adjacent building products because of this product?	□ Yes		⊠ No	
If <i>yes</i> , describe:				
Are there any operating/care instructions for the product?	☐ Yes		⊠ No	
If yes, attach the documentation with the applicat	tion.			
Is the product energy labelled in accordance with the Energy Labelling Directive (2010/30/EU)?	□ Yes	□No		⊠ Not relevant



If yes, state class (G to A, A+, A++, A+++):	Class	S:	
7. Waste management			
Does the product require special measures to protect health and the environment in conjunction with demolition/dismantling?		□ Yes	⊠ No
If yes, describe:			'
Is the product covered by the WEEE-directive 2012/19/EU (Swedish ordinance (2014:1075) on Producer Responsibility for electrical and electro products when it becomes waste?	nic	□ Yes	⊠ No
Is it possible to re-use all or parts of the product? (can the product be reused within the product's expected lifetime)?		⊠ Yes	□No
If yes, describe: . it's possible to reuse the doo	r clos	er on a new door	,
Is material recycling possible for all or parts of th product when it becomes waste?	е	⊠ Yes	□ No
If yes, describe: s.3			'
Is energy recycling possible for all or parts of the product when it becomes waste?		□ Yes	⊠ No
Does the supplier have any restrictions and recommendations for reuse, material- or energy recycling or disposal?		□ Yes	⊠ No
If <i>yes</i> , specify which:			1
When the supplied product becomes waste, is it classified as hazardous waste?		□ Yes	⊠ No
If yes, specify the waste code:		Waste code:	
The Swedish waste ordinance (2011:927) https://www.notisum.se/rnp/sls/lag/20110927.ht	<u>m</u>		
8. Indoor environment Has the product a critical moisture condition:	□Ye	25	⊠ No
Information regarding whether critical moisture conditions leading to microbial growth apply for the material/product should be stated but will not impact the assessment.			
If Yes, specify which:			



Is the article (or chemical product) intended for indoor use?	⊠ Yes	□ No
If <i>yes</i> , has emission data been produced for volatile organic compounds?	□ Yes	⊠ No
If yes, attach the report/certificate together with t	he application.	
If <i>no</i> , is there any motivation for why emission data for volatile organic compounds is not relevant for the product?	Motivation: not relevant	



Byggvarubedömningen's Certificate of substance content and concentrations, Version 6.0.

A correct and fully* completed certificate is required for the possibility of reaching the Recommended assessment level for chemical contents. The certificate is required also when contents are reported in another document not drafted in accordance with the eBVD15 requirements (for example, when contents are reported in a BVD3).

*Obligatory data required for the certificate to be considered fully completed.

(The name of th	is for the following products (product name on the application): * the product/item is to be identical with the name stated when applying for assessment. The the used for several assessments.)
TS 73EMF	
It is certified	for the above products that (choose alternative A1, A2, B1 or B2): *
A1 □	It is hereby certified that:
	 Concentrations of the constituent substances have been reported down to a percentage by weight (wt%) of 0,01. (This implies a complete declaration of contents in which all substances present in concentrations of ≥0,01wt% have been reported.) Substances that are subject to specific concentration limits <0,01 wt%: These substances are reported if they occur in concentrations up to 10 times lower than their specific concentration limit. (This means that if a substance's specific concentration limit is 0,0015 wt%, concentrations ≥0,00015 wt% are to be reported.) Actively added or contamination of mercury has been reported regardless of concentration. Cadmium is reported in cases of ≥0,001 wt%.
B1 □	 It is hereby certified that: Concentrations of the constituent substances have been reported down to 0,1 wt%. (This implies a complete declaration of contents in which all substances of concentrations ≥0,1wt% have been reported.) Substances that are subject to specific concentration limits <0,1 wt% have been reported when they occur. (This means that if a substance's specific concentration limit is 0,0015 wt%, concentrations ≥0,0015 wt% are to be reported.) Actively added or contamination of mercury has been reported regardless of concentration. Cadmium is reported in cases of ≥0,01 wt%. Cadmium is reported in cases of ≥0,01 wt%.



,	rted according to alternative A1 or B1, but I have followed the instructions for Declaration gvarubedömningen's reporting requirements 2021-1 (Annex 1. Table 1):
A2 □	Equivalent to <i>Recommended</i> level.
B2 ⊠	Equivalent to <i>Accepted</i> level.

It is further cei	rtified for the above specified products (choose alternative C or D): *
C 🗵	It is hereby certified that "Specifically indicated substances" in accordance with Annex 1. Table 2 have not been added during production or been formed through reactions between the substances in the product.
D 🗆	Unfortunately, we have to notify that the specified products contain "Specifically indicated substances" in accordance with Annex 1, Table 2. One/some of these substances have been added during production or have been formed through reactions between the substances in the product, refer to the reported Declaration of content.

☑ I hereby certify that the above data is correct to my best knowledge. *

Person responsible for the declaration: *	Anders Sandgren
Signature: **	
Contact details (email, phone): *	anders.sandgren@dormakaba.com
Place and date: *	Malmö

^{*} Obligatory data required for the certificate to be considered fully completed.

If you want your logotype on the certificate, paste it below:

^{**} Voluntary data that may be a requirement in, for example, certain certification systems.



Annex 1.

Declaration of content, Byggvarubedömningen's reporting requirements, 2021-1.

An assessment is based on the complete contents of an item or a chemical product on delivery stated as wt% of the entire product.

For the Accepted and Recommended levels, classified substances must be reported in the documentation if concentrations exceed limits (wt%) in accordance with Table 1, Classified substances. Substances that are not included under Table 1 must always be reported when concentrations of \geq 2% occur. Reporting requirements for the Accepted level correspond to the eBVD15 requirements.

Contents can be specified in concentration intervals, and the assessment is then done based on the concentration that gives the strictest assessment. Examples of accepted intervals are: ≤1%, 1–2,5%, 2,5–10%, 10–25%, 25–50%, 50–75%, and 75–100%. More information about what can be included in the same assessment is in the next section.

For chemical products, concentrations specified in the safety data sheet are governing, which means that the interval specified in a building product declaration must include that specified in the SDS.

Note that for a content to be considered fully reported, at least 98% of the product must be declared. Reports in which <98% is reported will be accepted if it is also evident that other substances/materials contribute <2% each and do not have properties according to Table 1. These can instead be reported with their function (filler <2%, additive <2%, etc.).

If classification is applied that is not covered by harmonised classification, this information must be provided in the declaration of contents for that substance and the assessment will be done on that basis.

For the possibility of achieving the Recommended assessment level for chemical contents, the product may contain no specifically indicated substances/substance groups, regardless of concentration, refer to Table 2.



Table 1. Reporting requirements for constituent substances. Note that the below only applies to reporting of substance contents. The complete assessment criteria are available on the website (https://byggvarubedomningen.se/dokument/). The table for reporting toward Accepted assessment level follows the eBVD15 requirements with an amendment for requirements concerning endocrine disrupting substances, see below.

Every constituent substance is to be reported as wt% of the entire product if it is equal to or more than the below reporting limits. If wt% is specified at component level, also the component's wt% of the entire product must be specified.

product must be specified.		
Classification/listing	Reporting limit Accepted	Reporting limit Recommended
Carcinogenic, Category 1A or 1B (H350)	0,1%	0,01%
Carcinogenic, Category 2 (H351)	1%	0,1%
Mutagenic, Category 1A or 1B (H340)	0,1%	0,01%
Mutagenic, Category 2 (H341)	1%	0.1%
Reproductive toxicity, Category 1A or 1B (H360)	0,3%	0,03%
Reproductive toxicity, Category 2 (H361)	2%	0,3%
Reproductive toxicity, effects on or via lactation (H362)	0,3%	0,03%
Endocrine disruptors 1,2,3	0,1%	0,01%
PBT and/or vPvB substances 4,5	0,1%	0,01%
Ozone depleting substances (EUH 059, H420)	0,1%	0,01%
Sensitisation, respiratory category 1A (H334)	0,1%	0,01%
Sensitisation, respiratory category 1 or 1B (H334 solid/liquid)	1%	0,1%
Sensitisation, respiratory category 1 or 1B (H334 gas)	0,2%	0,02%
Sensitisation, skin category 1A (H317)	0,1%	0,01%
Sensitisation, skin category 1 or 1B (H317)	1%	0,1%
Acute toxicity, Category 1 (H300, H310, H330, H301, H311 and/or H331)	0,1%	0,01%
Acute toxicity, Category 2 (H300, H310, H330, H301, H311 and/or H331)	1%	0,1%
Acute toxicity, Category 3 (H300, H310, H330, H301, H311 and/or H331)	2%	1%
Specific Target Organ Toxicity – Single Exposure (STOT-SE), Category 1 (H370)	1%	0,1%
Specific Target Organ Toxicity – Repeated Exposure (STOT-RE), Category 1 (H372)	1%	0,1%
Hazardous to the aquatic environment, Chronic Category 1 (H410)	2%	0,25%
Potential vPvB and PBT substances ⁶	2%	0,1%
Fluorinated greenhouse gases	0,1%	0,01%
Candidate list, to be reported at component level ⁷	0,1% (component level)	0,01% (component level)
Pure or compounds of lead (Pb)	0,1%	0,01%



Pure or compounds of mercury (Hg)	Contamination ≥ 2.5 mg/kg (ppm) and any active added mercury must always be reported.	
Pure or compounds of cadmium (Cd)	0,01%	0,001%
Substances covered by any of the above specified classifications, but which are also covered by specific concentration limits in accordance with CLP.	According to specific concentration limits if lower than specified above (Applies to, for example, certain preservatives)	10 times lower than specific concentration limit
Other classifications, and unclassified substances and material	2%	2%

References

¹EU's EDS Database, Cat 1 & 2

http://ec.europa.eu/environment/chemicals/endocrine/strategy/being_en.htm

²Chemsec's SIN Lista, EDC Substances

https://sinlist.chemsec.org/search/search?query=&healthenvironmentconcerns=1

⁷Substances on the Candidate List, https://echa.europa.eu/candidate-list-table. For composite products, substances on the Candidate List are required by law to be reported at component level. Information about this can be found on ECHA's website https://echa.europa.eu/regulations/reach/candidate-list-substances-in-articles.

(If the above links do not work, it may be because they have been updated, which is beyond Byggvarubedömningen's control. Updates of non-functioning links will be corrected as soon as possible after they have been discovered.)

Table 2. Specifically indicated substances may not have been added to the product during production or formed through reactions between the substances in the product to qualify for Recommended assessment level.

Substance group/Substance
Arsenic and its compounds ¹
Brominated flame retardants
Per- and polyfluoroalkyl substances (PFAS)
Organotin compounds
Biocidal product applied on products (surface treatments) to provide a disinfectant or anti-

Biocidal product applied on products (surface treatments) to provide a disinfectant or antibacterial effect.

³Candidate List, endocrine disrupting substances https://echa.europa.eu/sv/candidate-list-table

⁴ Substances that meet the criteria for PBT/vPvB in accordance with KEMI, PRIO https://www.kemi.se/prio-start/criteria/the-criteria-in-detail/pbtvpvb

⁵ Candidate List, PBT/vPvB substances https://echa.europa.eu/candidate-list-table

⁶ Substances that meet the criteria for potential PBT/vPvB substances in accordance with KEMI, PRIO https://www.kemi.se/prio-start/criteria/the-criteria-in-detail/potential-pbtvpvb

¹ Arsenic, or arsenic compounds, are not permitted to be added to the product. Contamination of used raw materials is not permitted to exceed 10 mg/kg. The concentration limit is set based on regulatory requirements for soil quality to ensure that products assessed as Recommended do not raise background concentrations through their use or disposal (for example; sludge from sewage



treatment works Swedish Ordinance 1998:944, Section 20). The same concentration limits are found in the Swedish Environmental Protection Agency's general guidelines for sensitive land use https://www.naturvardsverket.se/Stod-i-miljoarbetet/Vagledningar/Fororenade-omraden/Riktvarden-for-fororenad-mark/.

What may be included in the same assessment?

Generally, an assessment is done for a single item or chemical product. However, an assessment can also be done for a product series given that the included articles are covered by the same declaration of contents. Contents are then provided in intervals, and the assessment is done based on the concentration that gives the strictest assessment. Unclassified substances and material that contribute <2% and that differ between the products in a series can be subject to the same supporting documentation and assessment. Consequently, intervals specified as $0 - \ge 2\%$ are generally not accepted for a product series (well-founded exemptions can be accepted following control questions from an assessor). For chemical products, all articles included in the assessment are covered by the same safety data sheet.

For two or multi-component products, each component requires its own assessment and separate assessment documentation. According to current legislation, each component is to be reported in two separate safety data sheets. Exemptions may be made if the products are packaged in such a way that they cannot be separated. If so, information for both components can be provided in the same safety data sheet if it can be clearly determined which information applies to which component. Criteria that address issues where the components are hardened are assessed based on the hardened product's characteristics (for example, leaching, waste and emissions). For multi-component products, it should be clearly evident in the product description with which other products the individual components are intended to be used.

Descriptions of material

Constituent substances are to be reported with their CAS number and/or EC number. Exemptions can be made for certain materials in accordance with the following instructions.

<u>Alloys</u> are to be reported with the alloy number. Alternatively, constituent substances over 0,01% of the alloy are to be reported. For unspecified alloys, the following exemptions are made (which may affect the assessment result):

- Stainless steel, the assessment is based on the alloy containing 10% nickel.
- Brass, the assessment is based on the alloy containing 3% lead.
- Aluminium, the assessment is based on the alloy containing 1,5% lead.

<u>Plastics and rubber materials</u> are to be reported together with their name so that it is clear which monomers are included, for example, acrylonitrile butadiene styrene (ABS), polyethylene (PE), etc. Any residual monomers need not be reported.



Examples of plastics/polymers that are accepted without specification of constituent monomers:

- Polycarbonate (pertains to bisphenol A based polycarbonates)
- Polyester (monomers must be specified for halogenated polyesters)
- Polyurethane (monomers must be specified for halogenated polyurethanes)
- Fibreglass reinforced epoxy resin laminates FR4 (pertains to tetrabromobisphenol A based polymers)
- MS polymers (refers to silane-modified polyether)

Examples of plastics, polymers and rubber material that require clarification:

- Polymer dispersion
- Copolymer
- Thermoplastic elastomers (TPE)
- Thermoplastics
- Silanes. The type of polymer must be specified, for example, whether it refers to a silane/silyl-modified polyether or polyurethane.
- PVC. For concentrations ≥2%, plasticizers must always be reported with the CAS number and concentration. Less than 2%, plasticizers subject to the reporting limits specified in Table 1 are to be reported. If no plasticizer is specified, the assessor will check with the supplier regarding the occurrence of plasticizer classified as endocrine disrupting and other classification requirements.
- EPDM and SBR rubber. For concentrations ≥2%, mineral/paraffin oil must always be specified with the CAS number and concentration. Alternatively, the PAH content can be specified.
- For plastics and rubber material that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity under normal or reasonably foreseeable conditions of use, the concentration limit is to be fulfilled in accordance with the PAH Regulation (European Commission's Regulation (EU) No. 1272/2013 to amend Annex XVII of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No. 1907/2006 (REACH) on the restrictions of polycyclic-aromatic hydrocarbons (<a href="https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32013R1272&from="https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32013R1272&from="https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32013R1272&from=).
- Expanded polystyrene (EPS), cellular plastic, is assumed to always contain 2% pentane unless otherwise specified. If pentane content <1% of the constituent EPS is reported, this must be verified with analysis data.

Additives that have not formed polymers must always be reported in accordance with the reporting limits in Table 1 (for example, this applies for pigments, plasticizers, stabilizers, etc.).

Examples of other materials that may require clarification:

• Glass (content of lead must be reported for the Recommended assessment level; relevant for recycled glass)



- Concrete (elements of any polymers are to be reported separately)
- Mineral fillers, pigments, etc.
- The PAH content must be reported when asphalt/bitumen is reported ≥10% for the possibility of reaching the Recommended assessment level.
- Electronic products are assumed to always contain brominated flame retardants and therefore cannot reach the Recommended assessment level.
- Flame retardants and any plasticizers are to be specified for cables.
- For impregnated wood, an enclosed safety data sheet for impregnating agents is required.

References can be given for composite products to other products (subcomponents) that have been assessed in Byggvarubedömningen's system and which have been provided with a BVBID. The referenced assessment must be current and not covered by a non-disclosure agreement (NDA). Non-public information may be used after confirmation from the concerned producer.