

Byggvarubedömningen's guidelines and information requirements for assessment of products, Version 2019-1.

These guidelines describe what information Byggvarubedömningen requires for assessment of articles and chemical products. Information about the article or chemical product can be provided in this document, alternatively refer to another documentation in which the corresponding information is given. For certain types of articles and chemical products additional information may be requested.

# 1. Product information

#### Product

Product name:	SIK 400 left SIK 400 right SIK 400 SA left SIK 400 SA right  SIK 400/S530 left SIK 400/S530 right SIK 400/S530 SA left SIK 400/S530 SA right		
Article No.:  Specify the type of number, e.g. RSK, E-number, EAN, GTIN or supplier's article number. This should also be stated on the application.	EAN:  SIK 400 left: 6417292080209  SIK 400 right: 6417292080216  SIK 400 SA left: 641729208024  SIK 400 SA right: 64172920802  SIK 400/S530 left: 6417292080  SIK 400/S530 SA left: 641729208  SIK 400/S530 SA right: 641729208  SIK 400/S530 SA left: 641729208  SIK 400/S530 SA right: 6417292  SUpplier's article number:  SIK 400 left: V61002  SIK 400 right: V61001  SIK 400 SA left: V61006  SIK 400/S530 left: V61010  SIK 400/S530 SA right: V61011  SIK 400/S530 SA left: V61012  SIK 400/S530 SA right: V61013	17 254 0261 80278 080285 2080292	
Product description:  Upon application, please attach a products data sheet, or similar.	shelves, two baskets, a towel rail, a hanger for a vacuum cleaner		
Type of product:	☐ Chemical product	⊠ Article	



Date (year, month, day) of preparation/revision:	20200811	
Supplier/Manufacturer		
Supplier:	Polaria Oy	
Manufacturer, if other than the supplier: Voluntary information		
Contact person:	Timo Karhula	
Address:	Yrittäjäntie 4, Fl-52700 Mäntyharju	, Finland
E-mail:	timo.karhula@polaria.fi	
Phone number:	+358 40 751 1492	
Supporting documentation		
Has a declaration of performance in line with the European Construction Products Regulation (EU) no 305/2011, been prepared for the product?	□ Yes	⊠ No
If <i>yes</i> , attach the declaration of perfo	rmance with the application.	
Is the article/product an electronic product and covered by the RoHS-directive (according to the version valid at the time of application)?	□ Yes	⊠ No
If <i>yes</i> , attach an "EU Declaration of C product corresponds to the requirer with the application.	•	
If the article/product is an electronic product that is covered by an exemption according to the RoHS-directive, specify which exemption and date (year, month, day) when the exemption expires if	Exemptions according to RoHS:  Date:	

# 2. Declaration of contents:

time-limited:

Please specify the full content of the article or the chemical product, *on delivery*, in Table 1, or alternatively attach other documentation that provides the corresponding information. For instructions, please refer to the "Annex 1. Declaration of content, Byggvarubedömningen's reporting requirements, 2019-1", which is found at the end of this document.

**Table 1.** Contents of included substances and material (declaration of content in accordance with the requirements).

Included substances	EC-/ CAS-	Weight%	When	Weight% (of	Comments
and materials	number	(of the	applicable,	substance in	(state any
		entire	state for	subcomponent)	application of
		product)			non-



					1
	(alternatively,		which		harmonized
	alloy		subcomponent		classifications)
	number)				
Frame:		Min. 62,5			
Steel DC01: min. 92,5 %,		%, max.			
max. 93,1 %		70,6 %			
Powder-coating 9016:					
epoxy/polyester powder:					
min. 6,9 %, max. 7,5 %					
Door:		Min. 26,5			
Steel DC01: 92,3 %		%, max.			
Powder-coating 9016:		33,9 %			
epoxy/polyester powder:					
7,7 %					
Handle		<2 %			
Hinges		<2 %			
Cylinderlock or latch		<2 %			
Basket:		Min. 1,8			
Steel FE360: 90 %		%, max.			
Powder-coating 9016:		2,3 %			
epoxy/polyester powder:		·			
10 %					
Towel bar		<2 %			
Suspension hook		<2 %			
Powder-coating 9016:		Min. 6,9			
Epoxy/polyester powder		%, max.			
		7,3 %			
		,-			
If any deviations from Byggv			ther comments:		
declaration requirements ex	•	e in the			
comments in Table 1, or alte	rnatively here.				
Is the chemical composition	different, for th	e	] Yes	□No	
product when applied (cured					
the content at delivery? (Only					
products)					
If yes, specify the content of the cured product in Table 2.					
in yes, specify the content of the cured product in rable 2.					

**Table 2.** Contents for the applied product (full content in accordance with the declarations requirements)

Included substances and materials	EC-/ CAS-	Weight%	Comments
	number	(of the applied	(state any
		product)	application of non-
			harmonized
			classifications)



		I		
If any deviations from Byggvarubedömningens declaration requirements exist, specify these in the comments in Table 1, or alternatively here.		Other comments:		
Does the product or any of its subcomponents contain substances with particularly hazardous properties (Substances of Very High Concern, SVHC-substances), which are included in the Candidate List at a concentration ≥0.1 weight%?	□Yes	⊠ N	0	
If yes, specify these substances in Table 1 together	with the rest of the	he content of the p	product.	
State the date (year, month, day) for control of the Candidate List.	Date:			
The concentration is calculated at component level product".	el established on t	he principle "once	a product, always a	
The Candidate List is available at: http://echa.euro	pa.eu/sv/candidat	<u>e-list-table</u> .		
Nanomaterials				
Does the product contain any nanomaterial that has been purposefully added to achieve a specific function?	⊠ Yes		No	
Information regarding whether nanomaterial has been added to achieve a specific function can be stated, but has no impact on the assessment (voluntary information).				
If yes, specify the material.	Material:			
	Pretreatment Bonderite NT		ninting, used material	
3. Recycled raw material				
Does the product contain recycled material?	□ Yes	⊠N	0	
If <i>yes</i> , specify in Table 3.		,		

If the product consists of recycled materials specify the material and the percentages of the total weight of the product, in *Table 3*, Recycled materials.

# **Table 3.** Recycled material.

Tune to the trace of the trace				
Material	Percentage	Percentage (%)	Percentage (%)	Comments
	(%)	of the recycled material	of the recycled material	
	Recycled	that has not reached the	that has reached the	
	material of	consumer level, such as	consumer level (post-	
	the total	production waste, etc.	consumer)	
		(pre-consumer)		



	product's					
	weight					
If wood raw materia	ıl is included					
Can the product be orderertificates for the wood			□ Yes		□ No	
If yes: Specify the percentage of certified, what system here PEFC) and give the licent certification.	as been used (	e.g. FSC or				
Attach the certificate to	gether with the	application.				
If no: Has wood raw material from documented sustainable forestry been used in the production of the product? If so, please indicate how much of the included wood raw material used that comes from documented sustainable forestry:  Attach certificates from all subcontractors together with the application.						
If sustainability certifica harvesting country for v	_					
Is the wood species or of for endangered species		ES appendix	□ Yes		□ No	
4. The product					_	
Has an Environmental Product Declaration (EPD) according to ISO 14025 and EN 15804 (or equivalent for other product groups) been prepared?		□ Yes		⊠ No		
Has another type of environmental product declaration been prepared?			□ Yes		⊠ No	
If yes, enclose the EPD (I declaration together wit			ration) or an	y other enviror	nmental prod	duct
Has an active choice been made, regarding the electricity supplier, to promote electricity production from renewable energy sources?		□ Yes		⊠ No		



If yes, describe the type of energy source, percentage of energy stemming from the renewable source, how long the agreement has been applied (start and end date), electricity supplier, and for which part of the production it is valid for:

# 5. Distribution of the completed product

Describe the management of packaging for the distribution of the product	Description of the packaging:			
State whether any system for taking back or recycling packaging or any other specific return system is used.	Package recycle system is handled by Finnish packaging recycling RINKI Ltd.			y Finnish
Specify the packaging material used and which system of producer responsibility for packaging the supplier is affiliated to.	Product package is cardboard box. Producer responsibility system is Finnish packaging recycling RINKI Oy.			
Enter the proportion of recycled material, if any, included in the packaging.				
Other information:				
6. Construction and usage phase				
Are there any special requirements such as storage conditions etc. for the product during storage?	☐ Yes ☑ No			
If yes, describe:				
Are there any special requirements for adjacent building products because of this product?	☐ Yes			
If yes, describe:				
Are there any operating/care instructions for the product?	⊠ Yes		□ No	
If yes, attach the documentation with the application.				
Is the product energy labelled in accordance with the Energy Labelling Directive (2010/30/EU)?	☐ Yes ☐ No ☑ Not re		⊠ Not relevant	
If yes, state class (G to A, A+, A++, A+++):	Class:			
7. Waste management				
Does the product require special measures to protect health and the environment in conjunction with demolition/dismantling?	□ Yes		⊠ No	
If yes, describe:	1			
Is the product covered by the WEEE-directive	□ Yes		⊠ No	



Producer Responsibility for electrical and electronic products when it becomes waste?		
Is it possible to re-use all or parts of the product? (can the product be reused within the product's expected lifetime)?	□ Yes	⊠ No
If yes, describe:		
Is material recycling possible for all or parts of the product when it becomes waste?	⊠ Yes	□ No
If yes, describe: Metal parts can be assorted and recy	cled to be used for new raw	materials.
Is energy recycling possible for all or parts of the product when it becomes waste?	□ Yes	⊠ No
Does the supplier have any restrictions and recommendations for reuse, material- or energy recycling or disposal?	□ Yes	⊠ No
If yes, specify which:		
When the supplied product becomes waste, is it classified as hazardous waste?	□ Yes	⊠ No
If yes, specify the waste code:	Waste code:	
The Swedish waste ordinance (2011:927) https://www.notisum.se/rnp/sls/lag/20110927.htm		
8. Indoor environment		
Has the product a critical moisture condition:	□ Yes	⊠ No
Information regarding whether critical moisture conditions leading to microbial growth apply for the material/product should be stated but will not impact the assessment.		
If Yes, specify which:		
Is the article (or chemical product) intended for indoor use?	⊠ Yes	□ No
If <i>yes</i> , has emission data been produced for volatile organic compounds?	□ Yes	□ No
If yes, attach the report/certificate together with the a	application.	l
If <i>no</i> , is there any motivation for why emission data for volatile organic compounds is not relevant for the product?	Motivation:	
	There are no volatile orgai product.	nic compounds in the



# Byggvarubedömningen's Certificate of substance content and concentrations, Version 5.0.

A correct and fully\* completed certificate is required for the possibility of reaching the Recommended assessment level for chemical contents. The certificate is required also when contents are reported in another document not drafted in accordance with the eBVD15 requirements (for example, when contents are reported in a BVD3).

\*Obligatory data required for the certificate to be considered fully completed.

The certificate is for the following products (product name on the application): * (The name of the product/item is to be identical with the name stated when applying for assessment. The
certificate can be used for several assessments.)
SIK 400 left
SIK 400 right
SIK 400 SA left
SIK 400 SA right
SIK 400/S530 left
SIK 400/S530 right
SIK 400/S530 SA left
SIK 400/S530 SA right

JIN TO OCCCIODE MIC	5110
It is certified for t	the above products that (choose alternative A1, A2, B1 <i>or</i> B2): *
<b>A1</b> □ It is	<ul> <li>hereby certified that:</li> <li>Concentrations of the constituent substances have been reported down to a percentage by weight (wt%) of 0,01.         (This implies a complete declaration of contents in which all substances present in concentrations of ≥0,01wt% have been reported.)</li> <li>Substances that are subject to specific concentration limits &lt;0,01 wt%:         These substances are reported if they occur in concentrations up to 10 times lower than their specific concentration limit.         (This means that if a substance's specific concentration limit is 0,0015 wt%, concentrations ≥0,00015 wt% are to be reported.)</li> <li>Actively added or contamination of mercury has been reported regardless of concentration.</li> <li>Cadmium is reported in cases of ≥0,001 wt%.</li> </ul>
<b>B1</b> □ It is	<ul> <li>hereby certified that:</li> <li>Concentrations of the constituent substances have been reported down to 0,1 wt%.         (This implies a complete declaration of contents in which all substances of concentrations ≥0,1wt% have been reported.)</li> <li>Substances that are subject to specific concentration limits &lt;0,1 wt% have been reported when they occur.         (This means that if a substance's specific concentration limit is 0,0015 wt%, concentrations ≥0,0015 wt% are to be reported.)</li> <li>Actively added or contamination of mercury has been reported regardless of concentration.</li> <li>Cadmium is reported in cases of ≥0,01 wt%.</li> </ul>
•	according to alternative A1 or B1, but I have followed the instructions for Declaration of edömningen's reporting requirements 2019-1 (Annex 1. Table 1):

8



<b>A2</b> □	Equivalent to <i>Recommended</i> level.
<b>B2</b> ⊠	Equivalent to <i>Accepted</i> level.

It is further certified for the above specified products (choose alternative C or D): *			
C ⊠	It is hereby certified that "Specifically indicated substances" in accordance with Annex 1. Table 2 have not been added during production or been formed through reactions between the substances in the product.		
D 🗆	Unfortunately, we have to notify that the specified products contain "Specifically indicated substances" in accordance with Annex 1, Table 2. One/some of these substances have been added during production or have been formed through reactions between the substances in the product, refer to the reported Declaration of content.		

☑ I hereby certify that the above data is correct to my best knowledge. \*

Person responsible for the declaration: *	Timo Karhula
Signature: **	
Contact details	timo.karhula@polaria.fi
(email, phone): *	+358 40 751 1492
Place and date: *	20200811, Mäntyharju, Finland

<sup>\*</sup> Obligatory data required for the certificate to be considered fully completed.

If you want your logotype on the certificate, paste it below:



<sup>\*\*</sup> Voluntary data that may be a requirement in, for example, certain certification systems.



#### Annex 1.

Declaration of content, Byggvarubedömningen's reporting requirements, 2019-1.

An assessment is based on the complete contents of an item or a chemical product on delivery stated as wt% of the entire product. For the Accepted and Recommended levels, classified substances must be reported in the documentation if concentrations exceed limits (wt%) in accordance with Table 1, Classified substances. Substances that are not included under Table 1 must always be reported when concentrations of ≥2% occur. Reporting requirements for the Accepted level correspond to the eBVD15 requirements.

Contents can be specified in concentration intervals, and the assessment is then done based on the concentration that gives the strictest assessment. Examples of accepted intervals are: ≤1%, 1–2,5%, 2,5–10%, 10–25%, 25–50%, 50–75%, and 75–100%. More information about what can be included in the same assessment is in the next section.

For chemical products, concentrations specified in the safety data sheet are governing, which means that the interval specified in a building product declaration must include that specified in the SDS.

Note that for a content to be considered fully reported, at least 98% of the product must be declared. Reports in which <98% is reported will be accepted if it is also evident that other substances/materials contribute <2% each and do not have properties according to Table 1. These can instead be reported with their function (filler <2%, additive <2%, etc.).

If classification is applied that is not covered by harmonised classification, this information must be provided in the declaration of contents for that substance and the assessment will be done on that basis.

For the possibility of achieving the Recommended assessment level for chemical contents, the product may contain no specifically indicated substances/substance groups, regardless of concentration, refer to Table 2.



**Table 1.** Reporting requirements for constituent substances. Note that the below only applies to reporting of substance contents. The complete assessment criteria are available on the website (<a href="https://byggvarubedomningen.se/dokument/">https://byggvarubedomningen.se/dokument/</a>). The table for reporting toward Accepted assessment level follows the eBVD15 requirements with an amendment for requirements concerning endocrine disrupting substances, see below.

Every constituent substance is to be reported as wt% of the entire product if it is equal to or more than the below reporting limits. If wt% is specified at component level, also the component's wt% of the entire product must be specified.

Classification/listing	Reporting limit Accepted	Reporting limit Recommended
Carcinogenic, Category 1A or 1B (H350)	0,1%	0,01%
Carcinogenic, Category 2 (H351)	1%	0,1%
Mutagenic, Category 1A or 1B (H340)	0,1%	0,01%
Mutagenic, Category 2 (H341)	1%	0.1%
Reproductive toxicity, Category 1A or 1B (H360)	0,3%	0,03%
Reproductive toxicity, Category 2 (H361)	2%	0,3%
Reproductive toxicity, effects on or via lactation (H362)	0,3%	0,03%
Endocrine disruptors 1,2,3	0,1%	0,01%
PBT and/or vPvB substances <sup>4,5</sup>	0,1%	0,01%
Ozone depleting substances (EUH 059, H420)	0,1%	0,01%
Sensitisation, respiratory (H334)	0,2%	0,02%
Sensitisation, skin (H317)	1%	0,1%
Acute toxicity, Category 1 (H300, H310, H330, H301, H311 and/or H331)	0,1%	0,01%
Acute toxicity, Category 2 (H300, H310, H330, H301, H311 and/or H331)	1%	0,1%
Acute toxicity, Category 3 (H300, H310, H330, H301, H311 and/or H331)	2%	1%
Specific Target Organ Toxicity – Single Exposure (STOT-SE), Category 1 (H370)	1%	0,1%
Specific Target Organ Toxicity – Repeated Exposure (STOT-RE), Category 1 (H372)	1%	0,1%
Hazardous to the aquatic environment, Chronic Category 1 (H410)	2%	0,25%
Potential vPvB and PBT substances <sup>6</sup>	2%	0,1%
Candidate list, to be reported at component level <sup>7</sup>	0,1% (component level)	0,01% (component level)
Pure or compounds of lead (Pb)	0,1%	0,01%
Pure or compounds of mercury (Hg)	Contamination ≥ 2.5 mg/kg (ppm) and any active added mercury must always be reported.	
Pure or compounds of cadmium (Cd)	0,01%	0,001%
Substances covered by any of the above specified	According to specific	10 times lower than
classifications, but which are also covered by	concentration limits if	specific concentration
specific concentration limits in accordance with	lower than specified	limit
CLP.	above	
	(Applies to, for example, certain preservatives)	
Other classifications, and unclassified substances and material	2%	2%



#### References

<sup>1</sup>EU's EDS Database, Cat 1 & 2

http://ec.europa.eu/environment/chemicals/endocrine/strategy/being en.htm

<sup>2</sup>Chemsec's SIN Lista, EDC Substances

https://sinlist.chemsec.org/search/search?query=&healthenvironmentconcerns=1

<sup>3</sup>Candidate List, endocrine disrupting substances <a href="https://echa.europa.eu/sv/candidate-list-table">https://echa.europa.eu/sv/candidate-list-table</a>

- <sup>4</sup> Substances that meet the criteria for PBT/vPvB in accordance with KEMI, PRIO <a href="https://www.kemi.se/prio-start/criteria/the-criteria-in-detail/pbtvpvb">https://www.kemi.se/prio-start/criteria/the-criteria-in-detail/pbtvpvb</a>
- <sup>5</sup> Candidate List, PBT/vPvB substances <a href="https://echa.europa.eu/candidate-list-table">https://echa.europa.eu/candidate-list-table</a>
- <sup>6</sup> Substances that meet the criteria for potential PBT/vPvB substances in accordance with KEMI, PRIO <a href="https://www.kemi.se/prio-start/criteria/the-criteria-in-detail/potential-pbtvpvb">https://www.kemi.se/prio-start/criteria/the-criteria-in-detail/potential-pbtvpvb</a>

<sup>7</sup>Substances on the Candidate List, <a href="https://echa.europa.eu/candidate-list-table">https://echa.europa.eu/candidate-list-table</a>. For composite products, substances on the Candidate List are required by law to be reported at component level. Information about this can be found on ECHA's website <a href="https://echa.europa.eu/regulations/reach/candidate-list-substances-in-articles">https://echa.europa.eu/regulations/reach/candidate-list-substances-in-articles</a>.

(If the above links do not work, it may be because they have been updated, which is beyond Byggvarubedömningen's control. Updates of non-functioning links will be corrected as soon as possible after they have been discovered.)

**Table 2.** Specifically indicated substances may not have been added to the product during production or formed through reactions between the substances in the product to qualify for Recommended assessment level.

#### Substance group/Substance

Arsenic and its compounds<sup>1</sup>

Brominated flame retardants

Perfluorooctanoic acid (PFOA)

Perfluorooctanesulfonates (PFOS)

Organotin compounds

Biocidal product applied on products (surface treatments) to provide a disinfectant or anti-bacterial effect.

<sup>1</sup> Arsenic, or arsenic compounds, are not permitted to be added to the product. Contamination of used raw materials is not permitted to exceed 10 mg/kg. The concentration limit is set based on regulatory requirements for soil quality to ensure that products assessed as Recommended do not raise background concentrations through their use or disposal (for example; sludge from sewage treatment works Swedish Ordinance 1998:944, Section 20). The same concentration limits are found in the Swedish Environmental Protection Agency's general guidelines for sensitive land use <a href="https://www.naturvardsverket.se/Stod-i-miljoarbetet/Vagledningar/Fororenade-omraden/Riktvarden-for-fororenad-mark/">https://www.naturvardsverket.se/Stod-i-miljoarbetet/Vagledningar/Fororenade-omraden/Riktvarden-for-fororenad-mark/</a>.

#### What may be included in the same assessment?

Generally, an assessment is done for a single item or chemical product. However, an assessment can also be done for a product series given that the included articles are covered by the same declaration of contents. Contents are then provided in intervals, and the assessment is done based on the concentration that gives the strictest assessment. Unclassified substances and material that contribute <2% and that differ between the products in a series can be subject to the same supporting documentation and assessment. Consequently, intervals specified as 0 − ≥2% are generally not accepted for a product series (well-founded exemptions can be accepted



following control questions from an assessor). For chemical products, all articles included in the assessment are covered by the same safety data sheet.

For two or multi-component products, each component requires its own assessment and separate assessment documentation. According to current legislation, each component is to be reported in two separate safety data sheets. Exemptions may be made if the products are packaged in such a way that they cannot be separated. If so, information for both components can be provided in the same safety data sheet if it can be clearly determined which information applies to which component. Criteria that address issues where the components are hardened are assessed based on the hardened product's characteristics (for example, leaching, waste and emissions). For multi-component products, it should be clearly evident in the product description with which other products the individual components are intended to be used.

# Descriptions of material

Constituent substances are to be reported with their CAS number and/or EC number. Exemptions can be made for certain materials in accordance with the following instructions.

<u>Alloys</u> are to be reported with the alloy number. Alternatively, constituent substances over 0,01% of the alloy are to be reported. For unspecified alloys, the following exemptions are made (which may affect the assessment result):

- Stainless steel, the assessment is based on the alloy containing 10% nickel.
- Brass, the assessment is based on the alloy containing 3% lead.
- Aluminium, the assessment is based on the alloy containing 1,5% lead.

<u>Plastics and rubber materials</u> are to be reported together with their name so that it is clear which monomers are included, for example, acrylonitrile butadiene styrene (ABS), polyethylene (PE), etc. Any residual monomers need not be reported.

Examples of plastics/polymers that are accepted without specification of constituent monomers:

- Polycarbonate (pertains to bisphenol A based polycarbonates)
- Polyester (monomers must be specified for halogenated polyesters)
- Polyurethane (monomers must be specified for halogenated polyurethanes)
- Fibreglass reinforced epoxy resin laminates FR4 (pertains to tetrabromobisphenol A based polymers)
- MS polymers (refers to silane-modified polyether)

Examples of plastics, polymers and rubber material that require clarification:

- Polymer dispersion
- Copolymer
- Thermoplastic elastomers (TPE)
- Thermoplastics
- Silanes. The type of polymer must be specified, for example, whether it refers to a silane/silyl-modified polyether or polyurethane.
- PVC. For concentrations ≥2%, plasticizers must always be reported with the CAS number and concentration. Less than 2%, plasticizers subject to the reporting limits specified in Table 1 are to be reported. If no plasticizer is specified, the assessor will check with the



- supplier regarding the occurrence of plasticizer classified as endocrine disrupting and other classification requirements.
- EPDM and SBR rubber. For concentrations ≥2%, mineral/paraffin oil must always be specified with the CAS number and concentration. Alternatively, the PAH content can be specified.
- For plastics and rubber material that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity under normal or reasonably foreseeable conditions of use, the concentration limit is to be fulfilled in accordance with the PAH Regulation (European Commission's Regulation (EU) No. 1272/2013 to amend Annex XVII of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No. 1907/2006 (REACH) on the restrictions of polycyclic-aromatic hydrocarbons (https://eurlex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32013R1272&from=).
- Expanded polystyrene (EPS), cellular plastic, is assumed to always contain 2% pentane unless otherwise specified. If pentane content <1% of the constituent EPS is reported, this must be verified with analysis data.

Additives that have not formed polymers must always be reported in accordance with the reporting limits in Table 1 (for example, this applies for pigments, plasticizers, stabilizers, etc.).

Examples of other materials that may require clarification:

- Glass (content of lead must be reported for the Recommended assessment level; relevant for recycled glass)
- Concrete (elements of any polymers are to be reported separately)
- Mineral fillers, pigments, etc.
- The PAH content must be reported when asphalt/bitumen is reported ≥10% for the possibility of reaching the Recommended assessment level.
- Electronic products are assumed to always contain brominated flame retardants and therefore cannot reach the Recommended assessment level.
- Flame retardants and any plasticizers are to be specified for cables.

References can be given for composite products to other products (subcomponents) that have been assessed in Byggvarubedömningen's system and which have been provided with a BVBID. The referenced assessment must be current and not covered by a non-disclosure agreement (NDA). Non-public information may be used after confirmation from the concerned producer.