# Byggvarubedömningen's guideline and information requirements for assessment of product, Version 2016-1.

These guidelines describe what information that Byggvarubedömningen requires for assessment of articles and chemical products. Information about the article or chemical product can be provided in this document, alternatively refer to another documentation in which the corresponding information is given.

### 1. Product information

#### **Product**

Product name:	Lumena 400 left
	Lumena 400 right
	Lumena 450 left
	Lumena 450 right
	Lumena 500 left
	Lumena 500 right
	Lumena 550 left
	Lumena 550 right
	Lumena 600 left
	Lumena 600 right
Article No.:	EAN
	Lumena 400 left: 6417292022018
Specify the type of number, for example RSK, E number, EAN, GTIN or supplier's article number.	Lumena 400 right: 6417292022025
This should also be stated on the application.	, and the second
	Lumena 450 left: 6417292022117
	Lumena 450 right: 6417292022124
	Lumena 500 left: 6417292022216
	Lumena 500 right: 6417292022223
	Lumena 550 left: 6417292022315
	Lumena 550 right: 6417292022322
	Lumena 600 left: 6417292022414
	Lumena 600 right: 6417292022421
	Countier/a anti-la counter
	Supplier's article number Lumena 400 left: V21025
	Lumena 400 right: V21075
	Lumena 450 left: V21125
	Lumena 450 right: V21175
	Lumena 500 left: V21225
	Lumena 500 right: V21275
	Lumena 550 left: V21325 Lumena 550 right: V21375
	Lumena 350 fight. V21575
	Lumena 600 left: V21425
	Lumena 600 right: V21475
Product description:	Polaria Lumena is a mirror cabinet with LED lighting. Polaria mirror cabinets are made of nanoceramically-protected powder-coated steel and they are delivered
On application, please attach a product data	fully assembled.
sheet or similar documentation.	,

Type of product:	☐ Chemical product	X Article		
Date (year, month, day) of preparation/revision:	20190820			
Supplier/Manufacturer				
Supplier:	Polaria Oy			
Manufacturer if other than the supplier:				
Voluntary information				
Contact person:	Timo Karhula			
Address:	Yrittäjäntie 4, FI-52700 Mäntyharju	Finland		
E-mail:	timo.karhula@polaria.fi			
Phone number:	+358 40 751 1492			
Supporting documentation				
Has a declaration of performance, in line with the Swedish Construction Products Regulation, been prepared for the product?	☐ Yes	X No		
If yes, attach the declaration of performance	e with the application			
Is the article/product an electronic product and covered by the RoHS-directive (2011/65/EU)?	X Yes	□ No		
If yes, attach an "EU Declaration of Conform to the requirements according to the RoHS	The state of the s	ate that attests that the product corresponds th the application		
If the article/product is an electronic product that is covered by an exemption according to RoHS-directive	Exemptions according to RoHS:			
(2011/65/EU), specify which exemption and date (year, month, day) when the	Date:			

#### 2. Declaration of contents:

exemption expires if time-limited:

Specify the total content of the article or the chemical product, **on delivery**, in Table 1, or alternatively attach other documentation that provides the corresponding information. For instructions, please refer to the "Declaration of contents, BVB's declaration requirements, 2016-1", which is found at the end of this document.

Table 1, Contents of included substances and material (declaration of content in accordance with requirements)

requirerres)					
Included substances and material	EG No./CAS No. (alternatively alloy)	Weight% (of entire product)	When applicable, state for which subcomponent	Weight% (of substance in subcomponent)	Comments (state eventual application of non- harmonized classifications)
Frame: Steel DC01: min. 90,5 %, max. 92,4 % Powder-coating 9016: epoxy/polyester powder: min. 7,6 %, max. 9,5 %		Min. 48,9 %, max. 50,4 %			
Combined shelf: Steel DC01: min. 93,0 %, max. 93,4 %		Min. 6,6 %, max. 7,0 %			

Powder-coating 9016: epoxy/polyester powder: min. 6,6 %, max. 7,0 %							
Shelf:		Mi	n. 4,3 %,				
Steel DC01: min. 95,6 %, max. 95,7 %		ma	ax. 4,4 %				
Powder-coating 9016: epoxy/polyester							
powder: min. 4,3 %, max. 4,4 %  LED-module fixing plate:		Mi	n. 2,4 %,				
Steel DC01: min. 97,4 %, max. 97,6 %			ax. 2,6 %				
Powder-coating 9016: epoxy/polyester							
powder: 2,4 %, max. 2,6 %			22.2.4				
Mirror doors: glass			n. 32,3 %, ax. 33,7 %				
Lighting: LED-module			n. 0,3 %				
			ax. 0,4 %				
Handles: ABS		0,1	%				
Cables: PVC + copper			n. 0,4 %				
Hinges: PA6 + FG 30 %			ax. 0,5 % I %				
Power socket:			7 %				
Light cover:			n. 1,2 %,				
			ax. 1,3 %				
Powder-coating 9016: epoxy/polyester			n. 4,2 %,				
powder		ma	ax. 5,5 %				
Are all substances reported in percentages	down to 0.019	% in	☐ Yes			X No	
Table 1, alternatively follow the declaration							
the level Recommended as described in "D							
contents, BVB's declaration requirements, 2	2016-1, given a	at					
the end of this document?							
(Enables the assessment Recommended)							
If not, does the declaration fulfill the instruc			X Yes				
Accepted, as described in "Declaration of co							
declaration requirements, 2016-1", given a	t the end of th	nis					
document?							
If any deviations from BVB's reporting requirements exist,  Other comments:							
specify these in the comments in Table 1, o	r alternatively		Weight p	percenta	ge based on		
here.							
			models I			) has onl	y one mirror door, othe
			models	lave two	doors.		
			I				
Is the chemical composition different, for the	ne product wh	en	☐ Yes			□ No	
applied (cured product) compared to the co							
(applies to chemical products)		•					
If yes, specify the content of the cured proc	fuct in Table 2						
yes, speeny and content of the carea proc							
Table 2 Contents for applied product	c (full conto	at in :	accardan	co with	doclaration	n roacii	ramantal
Table 2, Contents for applied products Included substances and material	s (Tull Cortlet		No./CAS N		Weight%	requii	Comments
included substances and material		LOI	10./CA3 IV	Ю.	(of the applied	1	(state any application of
					product)		non-harmonized
							classifications)
			1				
If any deviations from BVB's reporting requ			Other co	mments	:		
specify these in the comments in Table 2, o	r alternatively		I				
here.	,						

Does the product or any of is substances with particularly (Substances of Very High Coare included in the Candidat 0.1 weight%?	hazardous prope ncern, SVHC-sul	erties ostances), which	☐ Yes		X No	
If yes, specify which substance	ces in Table 1 to	gether with the res	t of the conte	nt of the product.		
State the date (year, month, List.	day) for control	the Candidate	Date:			
The concentration is calculate	ted at componer	nt level established	on the princi	ple "once a produc	t, always a pro	oduct".
The Candidate List is availab	le at: http://echa	.europa.eu/sv/cand	didate-list-tabl	e.		
Nanomaterial						
Does the product contain ar purposefully added to achie			X Yes		□ No	
Information regarding whether n achieve a specific function must l assessment.						
If yes, specify the material.			Material: Pretreatmen NT-1	t before powder pa	ainting, used r	naterial Bonderite
3. Recycled raw	material					
Does the product contain re	Does the product contain recycled material?			☐ Yes X No		
If yes, specify in Table 3.						
If the product consists of recy 3, Recycled materials.	·	ecify the material	and the perce	ntages of the total	weight of the	product, in <i>Table</i>
Table 3, Recycled material  Material	Percentage	Percentage (%)		Percentage (%)		Comments
Material	(%) Recycled material of the total product's weight	of the recycled mat not reached the cor such as production (pre-consumer)	nsumer level,	of the recycled mate reached the consum consumer)		Comments
If wood raw material is in	cluded					
Can the product be ordered the wood raw material? <i>E.g.</i> :		ty certificates for	☐ Yes		□ No	
Explain if the certificate does	s not cover all of	the wood raw mat	terial:			
If yes, attach a certificate/ass application.	surance that the	product can be ord	dered with a s	ustainability certific	ate together v	with the
If no, state the country wher harvested.	e the wood raw	material was	Country of h	narvest:		
		☐ Yes ☐ No				

## 4. The production phase

Has an Environmental Product Declaration (EPD) been prepared?	Yes	X No			
If yes, enclose the EPD (Environmental Product Declaration) or other environmental product declaration together with the application.					
Has an active choice been made, regarding the electricity supplier, in order to promote electricity production from renewable energy sources?	Yes	X No			
Describe the type of energy source, percentage of energy stemming from the renewable source, how long the agreement has been applied, electricity supplier, and for which part of the production it is valid for:					

## 5. Distribution of the completed product

Describe the management of packaging for the distribution of the product	Description of the packaging:
State whether any system for taking back or recycling packaging or any other specific return system is used.	Package recycle system is handled by Finnish packaging recycling RINKI Ltd
Specify the packaging material used and which system of producer responsibility for packaging the supplier is affiliated to.	Product package is cardboard box. Producer responsibility system is Finnish packaging recycling RINKI Oy.
Enter the proportion of recycled material, if any, included in the packaging.	
Other information:	

# 6. Construction and usage phase

Are there any special requirements such as storage conditions etc. for the product during storage?	Yes		X No	
If yes, describe:				
Are there any special requirements for adjacent building products because of this product?	☐ Yes		X No	
If yes, describe:				
Are there any operating/care instructions for the product?	X Yes		□ No	
If yes, attach the documentation with the application.				
Is the product energy labelled in accordance with the Energy Labelling Directive (2010/30/EU)?	X Yes	□ No		☐ Not relevant
If yes, state class (G to A, A+, A++, A+++):	Class: A++			

## 7. Waste management

Does the product require special measures to protect health and the environment in conjunction with demolition/dismantling?	□ Yes	x No				
If yes, describe:						
Is the product covered by the WEEE-directive 2012/19/EU (Swedish ordinance (2014:1075) on Producer Responsibility for electrical and electronic products when it becomes waste?	X Yes	□ No				
Is it possible to re-use all or parts of the product? (can the product be reused within the product's expected lifetime)?	Yes	X No				
If yes, describe:						
Is material recycling possible for all or parts of the product when it becomes waste?	X Yes	□ No				
If yes, describe:  Metal parts can be assorted and recycled to be used for new ra	w materials.					
Is energy recycling possible for all or parts of the product when it becomes waste?	☐ Yes	X No				
Does the supplier have any restrictions and recommendations for reuse, material- or energy recycling or disposal?	☐ Yes	X No				
If yes, specify which:						
When the supplied product becomes waste, is it classified as hazardous waste?	☐ Yes	X No				
If yes, specify the waste code:	Waste code:					
The Swedish waste ordinance (2011:927) https://www.notisum.se/rnp/sls/lag/20110927.htm						
8. Indoor environment						
Has the product a critical moisture condition:	☐ Yes	X No				
Information regarding whether critical moisture conditions leading to microbial growth apply for the material/product should be stated, but will not impact the assessment.						
If yes, specify which:						
Is the article (or chemical product) intended for indoor use?	X Yes	□ No				
If yes, has emission data been produced for volatile organic compounds?	☐ Yes	X No				
If yes, attach the report/certificate together with the application	1.					
If no, is there any motivation for why emission data for volatile organic compounds is not relevant for the product?	Motivation:					

declaration of contents in accordance with the instructions should be made for both products and chemical products. For products, concentrations have to be reported as a weight% for the entire product as minimum. The contents can be provided in other documentation, if the reporting instructions are complied with, or alternatively supplemented so that they are in compliance. Reporting requirements for the Accepted level correspond to the requirements for "e-BVD2015".

For the Accepted and Recommended levels, classified substances are needed to be reported in the documentation if concentrations exceed limits (weight%) in accordance with *Table 5*, *Classified substances*. Those substances that are not included in Table 5 must be reported when concentrations of  $\geq$ 2% occur.

Material and substance contains can be provided in intervals. Examples of accepted intervals are:  $\leq$ 1%, 1-2.5%, 2.5-10%, 10-25%, 25-50%, 50-75%, 75-100%. In occasion of large intervals, state the reason for the variance and describe what materials/substances increase or decrease in proportion if the product, for example, comes in different sizes.

If classification is applied that is not covered by harmonized classification, this information requires to be reported in the comments column for that substance.

Table 5, Classified substances

Accepted	Recommended
≥ 0.1%	≥ 0.01%
≥ 1%	≥ 0.1%
≥ 0.1%	≥ 0.01%
≥ 1%	≥ 0.1%
≥ 0.3%	≥ 0.03%
≥ 2%	≥ 0.3%
≥ 0.3%	≥ 0.03%
≥ 0.1%	≥ 0.01%
≥ 0.1%	≥ 0.01%
≥ 1%	≥ 0.1%
≥ 0.2%	≥ 0.02%
≥ 2%	≥ 0.25%
≥ 0.1%	≥ 0.01%
≥ 0.1%	≥ 0.01%
≥ 1%	≥ 0.1%
≥ 2%	≥ 1%
≥ 0.01%	≥ 0.001%
≥ 0.1%	≥ 0.01%
Contamination additives must	$\geq$ 2.5 mg/kg (ppm) of active always be reported.
≥ 0.1%	≥ 0.01%
	≥ 0.01%
≥ 0.1%	≥ 0.01%
≥0.1%*	≥ 0.01%
≥ 2%	≥ 2%
	≥ 1%  ≥ 0.1%  ≥ 1%  ≥ 0.3%  ≥ 2%  ≥ 0.3%  ≥ 0.1%

<sup>\*</sup>Substances on the Candidate List have to be reported at component level.